: SADDLE, INBOARD, LS, 206

Date:

Monday, 25/08/2008 9:56:03 AM

User:

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

.: 41612

Estimate Number

: 10820 P.O. Number

This Issue

: 25/08/2008

Prsht Rev. First Issue

: NC

: //

: 38751

Type

S.O. No. :

Part Number

Drawing Name

: D26661

Drawing Number

. D2666 REV. D

Project Number

: N/A : D

Drawing Revision Material

Due Date

: 20/09/2008

Qtv:

12 Um:

Each

Written By

Previous Run

Checked & Approved By

Comment

: MACHINED PARTS

Removed P/O for Powder Coat - in house

processEC

Est Rev:D As per Rev D 07-03-19 JLM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

D6101001

Saddle Billet

Comment: Qty.: 1.0000 Each(s)/Unit

Total:

12.0000 Each(s)

7075-T7351 2X6X6.25 Issue material from stock: Cut Size 2.0 x 6.25 X 6.0 Grain Along Long 6.0 Length

2.0

HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1

Program batch number.

- 1- Inspect part number and batch number are programmed correctly.
- 2- Machine Step No 1 of Folio and visually inspect as per attached Dimension Sheet
- 3- Machine Step No 2 of Folio and visually inspect as per attached Dimension Sheet
- 4- Machine Step No 3 of Folio and visually inspect as per attached Dimension Sheet
- 5- Deburr

MILLING CONV.

CONVENTIONAL MILLING MÁCHINE





Comment: CONVENTIONAL MILLING MACHINE

Machine Keyway and inspect per attached dimension sheet

J.F. Aml 08/09/04 (12

4.0

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE



Page 1

Dart Aerospace Ltd

W/O:			WORK ORDER CHANGES						
DATE	STEP	PROCEDUI	RE CHANGE B		Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
				· · · · · · · · · · · · · · · · · · ·					
		•							
Part No);	PAR #: Fa	ult Category:	NCR: Ye	es No D Q	A:	Date: _		

Resolution: _____ Disposition: ____ QA: N/C Closed: ____ Date: ____

NCR:		V	VORK	ORI	DER NON-CONFORMANCE	(NCR)			
		Description of NC			Corrective Action Section B		Verification	Annroyal	
DATE	STEP	TEP Section A Initia		Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector	
							,		
				-					
2									÷
								į	

NOTE: Date & initial all entries

H:\fFORMS\Quality Assurance\approved QA\NCRWO RevE

Date: Monday, 25/08/2008 9:56:03 AM User: Julie Lecocq **Process Sheet** Drawing Name: SADDLE, INBOARD, LS, 206 Customer: CU-DAR001 Dart Helicopters Services Job Number: 41612 Part Number: D26661 Job Number: Seq. #: **Description:** Machine Or Operation: 5.0 QC8 SECOND CHECK Comment: SECOND CHECK HAND FINISHING1 HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING 14108523 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 START TIME: **OVEN TEMPERATURE:** FINISH TIME: COAT/CHEMICAL CONVERSION 8.0 QC3 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 PACKAGING 1 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 424 10.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



1 08,09.4

Dart Aerospace Ltd

W/O:			WORK ORDER CHANGES							
DATE	STEP	PROCEDUR	E CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No):	PAR #: Fau	It Category:	NCR: Yes	No DQ	A :	Date:			

Disposition: _____ QA: N/C Closed: _____ Date: ____

NCR: WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC			Corrective Action Section B		Verification	Approval	Approval
DATE	SECTION OF NC Section A Initial Chief E			Action Description Sign &		Section C	Chief Eng	QC Inspector	
							1		·
	-						:		
						Ť (,	
						,			
				1					
			,						
				1					

NOTE: Date & initial all entries

H:\fORMS\Quality Assurance\approved QA\NCRWO RevE

Resolution:

DART AEROSPACE LTD	Work Order:	41002
Description: 206 Saddle, Inboard, Left side	Part Number:	D2666-1
Inspection Dwg: D2666 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2666 Rev. D and record below:

				Red	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	· 3	4	Ву	Date
Α	0.100	0.140		124"	,/20'	12(120"		
В	0.100	0.140		1.119"	1/20"	. 119"	1,720"		
С	2.470	2.510		2, 494"	2.494	5 494	2 494"		
D	0.100	0.180		1/40"	140"	140"	140		
Ē	0.210	0.230		,219"	,'220°	1250	`.'221''		
F	1.313	1.343		1.313	1, 323"	1/3237	1, 323		
G	0.240	0.260		72400	1249"	25/	,350"		
Н	0.615	0.685		1664	· Cala44	1664	.764		
l .	1.125	1.145		1.135	1'135"	1,735	1.136"		
J	0.990	1.010		1997"	1.001	1,00/"	1.001		•
K	0.235	0.240		,237	2371	237	237		
L	0.510	0.515		1510"	.510"	.5/0"	(5/0"		
М	0.100	0.120		110"	1/0"	110	1/0"		
N	1.565	1.585		1'.575	1,525	1, 575	1,576		
0	5.990	6.010		6.001"	6001"	6.001"	6,001"		
P	1.245	1.255		1'249"	1249"	1,249	1,249		
Q	2.495	2.505		2.501"	``2. <i>\$01</i> '	2 501	5 501"		
R	0.490	0.510		1505"	, 504"	506"	, 5041		
S	0.313	0.318		03.314	0,314				
Т	2.495	2.505		2.501	2501"	2,501	2.50/1		
U	1.357	1.367		1,363	1.3631	1, 363	J. 363		
V	0.315	0.322		d, 320°	8,320	Ø 320°	a 320°		
W	0.540	0.560		552	,553	1552°	552"		
Х	1.674	1.684		1,680	1.680	1,680	1,680		
Y	0.257	0.262		0,258	1 258	2,258'	d 258"		
Z	0.178	0.198		Q.188"	B.188"	13.188	B'188"		
AA					, , , ,		, ,		
AB									
AC									
AD									
AE				?					
AF	,								
	Acc	ept/Reje	ct						

Measured by: T	Audited by A
Date: 88/09/03	Date: 08/09/06
	, ,

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	
E	06.06.30	Dimension revised per drawing revision C	KJ/JLM	
F	06.09.19	Reference to DT8888 added to Dim N	KJ/EC	1
G	07.03.21	Revised per drawing revision D	KJ/JLM A	

DART AEROSPACE LTD	Work Order:	401
Description: 206 Saddle, Inboard, Left side	Part Number:	D2666-1
Inspection Dwg: D2666 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2666 Rev. D and record below:

				Red	orded Actu	al Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1/5	26	,3/7	#8	Ву	Date
Α	0.100	0.140		,1201	120'	1190	.116		
В	0.100	0.140		1/21	1/20"	$\frac{1}{2}$	121		
С	2.470	2.510		2.494"	2.494"	5.494	2.492		
D	0.100	0.180		140"	, 140'	140'	,146		
Е	0.210	0.230		221	. 220.	220	220		
F	1.313	1.343		11, 323	1' 3,23"	1.323	1.323		
G	0.240	0.260		,249"	252	", <i>25</i> 0°	250		
Н	0.615	0.685		1664	1644	.664	.657	,	
Ī	1.125	1.145		1.136"	1.136	1.136	1.135		
J	0.990	1.010		1,00/	1.001	1.000	1.000 -		
K	0.235	0.240		12371	.237	237	.237		
L	0.510	0.515		.'510"	.510"	7510°	.370		•
М	0.100	0.120		.110"	110	1/0	4/10		
N	1.565	1.585		1.576	1'. 576	1.576	1.570		
0	5.990	6.010		6.601"	6,001	6,000	5.999		
Р	1.245	1.255		1 249	1,249"	1,249	1.250		
Q	2.495	2.505		2.501	2 501"	2,501"	2.500		
R	0.490	0.510		502 "	497	502	,503		
S	0.313	0.318		0 3/4"	d 314"	1314	-314		
T	2.495	2.505		3, 501	25.501	75.50/°	2,500		
U	1.357	1.367		1, 363	1 363	1.363	1.361		
V	0.315	0.322		Ø. 320	2 320	ø, 320'	320		
W	0.540	0.560		551"	2553"	75521	-550		
X	1.674	1.684		1,680	1 680	1,685	1.480		
Υ	0.257	0.262		Ø. 258	G. 258"	d 258	.259		
Z	0.178	0.198		R. 188"	A', 188"	B. 188"	.138		
AA				1		1 -1 -			
AB							•		
AC									-
AD									
AE							**		
AF			. *						
	Acc	ept/Reje	ct		-				

Measured by: T.F./	Audited by
Date: 08/08/64	Date: 05/06

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	
E	06.06.30	Dimension revised per drawing revision C	KJ/JLM	
F	06.09.19	Reference to DT8888 added to Dim N	KJ/EC LA	
G	07.03.21	Revised per drawing revision D	KJ/JLM 🚓	411


DART AEROSPACE LTD	Work Order:	41012
Description: 206 Saddle, Inboard, Left side	Part Number:	D2666-1
Inspection Dwg: D2666 Rev. D		Page 1 of 1


Inspect dimensions highlighted on inspection sheet drawing D2666 Rev. D and record below:

, per			Recorded Actual Dimensions						
Dim	Min	Max	Go/No Go Gauge	19	210	\$11	112	Ву	Date
A	0.100	0.140		.116	.119	.116	117		
В	0.100	0.140		121	-121	-122	.122		
С	2.470	2.510		2.491	2.440	2.41D	2.490		
D	0.100	0.180		-140	.140_	.140	.140		
E	0.210	0.230		219	219	166.	,221		
F	1.313	1.343		1.323	1.323	1.323	1.323		
G	0.240	0.260		249	«249	-247	.248		
Н	0.615	0.685		.657	.650	.655	1650		
I	1.125	1.145		1.135	1,135	1.135	1.135		
J	0.990	1.010		1.001	1.000	1.000	1.000		
K	0.235	0.240		238	1238	1.237	.237	.	
L	0.510	0.515		· 57D	. 576	.576	-570		<u> </u>
М	0.100	0.120		.110	.110	.116	.(10		
N	1.565	1.585		1.570	1.570	1,571	1.570		
0	5.990	6.010		6.000	6-000	6-000	6.000		
Р	1.245	1.255		1.250	1.250	1.250	7.250		•
Q	2.495	2.505		2,500	2.500	2,500	2,500	•	
R	0.490	0.510		.502	-502	.503	· 500		
S	0.313	0.318		. 314	.314	.3/4	-314		
T	2.495	2.505		2,500	2,500	2.500	2.499		
U	1.357	1.367		1.362	1.361	1.341	1.361		
V	0.315	0.322		320	326	-320	.3.26		
W	0.540	0.560		~550	- 350	:550	, 550		
X	1.674	1.684		1.677	1.679	1.679	1.680		
Υ	0.257	0.262		.259	.159	.259	-259		
Z	0.178	0.198		./88	-188	188	-188		
AA			i				•		
AB									· <u>-</u>
AC									
AD									
AE				qu.			-		
AF		,							
Accept/Reject									


	1	
Measured by:	and,	Audited by Audited by
Date:	08/09/04	Date: 08/09/06
		

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	
Е	06.06.30	Dimension revised per drawing revision C	KJ/JLM	
F	06.09.19	Reference to DT8888 added to Dim N	KJ/EC 1.A	1
G	07.03.21	Revised per drawing revision D	KJ/JLM	
	·		• • • • • • • • • • • • • • • • • • • •	





D2666-1 SADDLE FWD INSIDE HIGH



Copyright © 1997 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

•		
		•
		· · · · · · · · · · · · · · · · · · ·